Drug Facts

Active ingredient (in each tablet) Purposes

Pain Reliever Fever Reduce Acetaminophen 325 mg

Uses • temporarily relieves minor aches and pains • temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4.000 mg (12 tablets) of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include: • skin reddening blisters
rash
If a skin reaction occurs, stop use and seek medical help right away

Do not use • with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have liver disease.

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.

Stop use and ask a doctor if • pain gets worse or lasts more than 10 days . fever gets worse or lasts more than 3 days . new symptoms occur

redness or swelling is present

These could be signs of a serious condition.

NDC 57896-102-10

If pregnant or breast-feeding, ask a health professional before use.

Drug Facts (continued)

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions • do not take more than directed

Adults and children 12 years of age and over	Take 2 tablets every 4-6 hours, as needed; not more than 10 tablets in 24 hours. Do not take for more than 10 days unless directed by a doctor.
Children under 12 years	Ask a doctor.
Other information - TAMPED SUIDENT Do not use	

Other information • TAMPER EVIDENT: Do not use if imprinted seal under cap is missing or broken. store at 20°C-25°C (68°F-77°F)

Inactive ingredients: povidone, sodium starch glycolate, starch, stearic acid.

Questions or comments? 1-800-540-3765

*This product is not manufactured or distributed by the owner of the registered trademark TYLENOL®. DIST. BY: GERI-CARE PHARMACEUTICALS CORP. 1295 Towbin Avenue, Lakewood, NJ 08701

BEV 1223AI



REGULAR STRENGTH

GERI

ACETAMINOPHEN 325 mg

PAIN RELIEVER/ FEVER REDUCER

1000 Tablets

Compare to the active ingredient in Regular Strength TYLENOL® Tablets*

ARE[®]