Drug Facts

Active ingredients (in each tablet)	Purpose
Docusate Sodium 50 mg	Stool softener
Sennosides 8.6 mg Stin	mulant Laxative

Uses • relieves occasional constipation (irregularity)

generally produces a bowel movement in 6 to 12 hours

Warnings

Do not use • laxative products for longer than 1 week unless directed by a doctor

• if you are presently taking mineral oil, unless directed by a doctor

Ask a doctor before use if you have

- stomach pain nausea vomiting
- noticed a sudden change in bowel habits that lasts over 2 weeks

Stop use and ask a doctor if you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. >



STOOL SOFTENER with laxative

DOCUSATE SODIUM 50 mg SENNOSIDES 8.6 mg

Compare to active ingredients in *PERI-COLACE®**

1000 Tablets

Directions

 Take only by mouth. Doses may be taken as a single daily dose, preferably in the evening, or in divided doses.

adults and children 12 years and over	take 2-4 tablets daily
children under 12 years of age	ask a doctor

Other information

- each tablet contains: calcium 20 mg, sodium 6 mg VERY LOW SODIUM
- store at 15°-30°C (59°-86°F), protect from excessive moisture
- Tamper Evident: Do not use if imprinted seal under cap is missing or broken.

Inactive ingredients: carnauba wax, colloidal silicon dioxide, croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&C red #40 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, sodium benzoate, stearic acid, titanium dioxide

* This product is not manufactured or distributed by the owner of the registered trademark Peri-Colace®.

Dist. By: **Geri-Care** *Pharmaceuticals Corp.* 1650 63rd Street, Brooklyn, NY 11204 REV 1018T