

Drug Facts

Active ingredient (in each caplet)

Calcium Polycarbophil 625 mg
(equivalent to 500 mg polycarbophil).....Bulk-forming laxative

Purpose

- Uses** • relieves occasional constipation • promotes regularity
• this product generally produces a bowel movement in 12 to 72 hours

Warnings

Choking: Taking this product without adequate fluid may cause it to swell and block your throat or esophagus and may cause choking. • Do not take this product if you have difficulty in swallowing. • If you experience chest pain, vomiting, or difficulty in swallowing or breathing after taking this product, seek immediate medical attention.

Ask a doctor before use if you have • abdominal pain, nausea, or vomiting
• a sudden change in bowel habits that persists over a period of 2 weeks

Ask a doctor or pharmacist before use if you are taking any other drug. Take this product 2 or more hours before or after other drugs. All laxatives may affect how other drugs work.

When using this product • do not use for more than 7 days unless directed by a doctor
• do not take more than 8 caplets in a 24 hour period unless directed by a doctor

Stop use and ask a doctor if rectal bleeding occurs or if you fail to have a bowel movement after use of this or any other laxative. These could be signs of a serious condition.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

GERI CARE®

NDC 57896-459-09

Fiber Laxative

Calcium Polycarbophil

- Relieves Constipation
- Promotes Regularity

Compare to active ingredient
in FiberCon®*

90 Caplets • 625 mg Each

Directions • take each dose of this product with at least 8 ounces (a full glass) of water or other fluid. Taking this product without enough liquid may cause choking. See choking warning. • This laxative works naturally so continued use for one to three days is normally required to provide full benefit. Dosage may vary according to diet, exercise, previous laxative use or severity of constipation.

adults and children 12 years of age and older	Starting dose: 2 caplets once a day Maximum dose: 2 caplets four times a day or as directed by a doctor
children under 12 years of age	consult a doctor

Other information • each caplet contains: calcium 138 mg
• store at controlled room temperature, 68°F-77°F (20°C-25°C)
• protect contents from moisture • for institutional use only
Tamper Evident: Do not use if imprinted seal under cap is missing or broken.

Inactive ingredients: caramel, cellulose, crospovidone, hypromellose, magnesium silicate, magnesium stearate, mineral oil, PEG, silica, sodium lauryl sulfate, stearic acid. May also contain calcium carbonate, croscarmellose sodium, maltodextrin, talc.

*This product is not manufactured or distributed by the owner of the registered trademark FIBERCON®.

Dist. by: Geri-Care Pharmaceuticals Corp., 1650 63rd St., Brooklyn, NY 11204

REV 1118RZC

