

Drug Facts

Active ingredient (in each tablet)

Calcium Carbonate 500 mg.....Antacid

Purpose

Uses relieves: • acid indigestion • heartburn • sour stomach
• upset stomach associated with these symptoms

Warnings

Ask a doctor before use if you have kidney stones.

Ask a doctor or pharmacist before use if you are taking prescription drugs. Antacids may interact with certain prescription drugs.

Stop use and ask a doctor if symptoms last more than 2 weeks.

When using this product do not use the maximum dosage for more than 2 weeks.

If pregnant or breast feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. ►

NDC 57896-763-15



REGULAR STRENGTH

CALCIUM CARBONATE
500 mg

CHEWABLE ANTACID
Assorted Flavors



Compare to active ingredient
in **TUMS®** Regular Strength*

150 Tablets

Drug Facts (continued)

Directions

- do not exceed recommended dose
- adults and children 12 years of age and older:
 - chew 2 to 4 tablets as symptoms occur, or as directed by a doctor
 - do not take more than 15 tablets in a 24 hour period
 - if pregnant, do not take more than 10 tablets in 24 hours
- children under 12 years: consult a doctor

Other information • each tablet contains: **calcium 200 mg**

- Store below 30°C (86°F). Keep the container tightly closed.
- **Tamper Evident:** Do not use if imprinted seal under cap is missing or broken.

Inactive ingredients assorted flavors, D&C Yellow #10 lake, dextrose, FD&C Blue #1 lake, FD&C Red #40 lake, FD&C Yellow #6 lake, magnesium stearate, maltodextrin,

Questions or comments? 1-800-540-3765

*This product is not manufactured or distributed by the owner of the registered trademark Tums®.

Dist. by: **Geri-Care Pharmaceuticals Corp.**
1295 Towbin Avenue
Lakewood, NJ 08701

REV 0323AI

