

## Drug Facts

### Active ingredient (in each tablet)

Loratadine, USP 10 mg.....Antihistamine

### Purpose

**Uses** temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose • itchy, watery eyes
- sneezing • itching of the nose or throat

### Warnings

**Do not use** if you have ever had an allergic reaction to this product or any of its ingredients.

**Ask a doctor before use if you have** liver or kidney disease. Your doctor should determine if you need a different dose.

**When using this product** do not take more than directed. Taking more than directed may cause drowsiness.

**Stop use and ask a doctor if** an allergic reaction to this product occurs. Seek medical help right away.

**If pregnant or breast feeding**, ask a health professional before use.  
**Keep out of the reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

NDC 57896-658-09



24-Hour Non-Drowsy\*

# ALLERGY RELIEF

Loratadine 10 mg Tablets  
Antihistamine



Compare to active  
ingredient in **CLARITIN®**\*\*

\*When taken as directed. See Drug Facts panel.

**90 Tablets**

## Directions

adults and children 12 years and over	1 tablet daily; not more than 1 tablet in 24 hours
children under 12 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

**Other information • TAMPER EVIDENT:** Do not use if imprinted seal under cap is missing or broken.

• store between 20° to 25°C (68° to 77°F) • protect from light

**Inactive ingredients:** lactose monohydrate, magnesium stearate, microcrystalline cellulose, sodium starch glycolate

**Questions or comments?** call 1-800-540-3765

\*\*This product is not manufactured or distributed by the owner of the registered trademark Claritin®.

Dist. By: **GERI-CARE**  
**PHARMACEUTICALS CORP.**  
1650 63rd Street  
Brooklyn, NY 11204  
REV 0220S

