

Drug Facts

Active ingredient

(in each 15mL Tablespoonful)

Purposes

Acetaminophen 500 mg.....Pain Reliever / Fever Reducer

Uses • temporarily relieves minor aches and pains
• temporarily reduces fever

Warnings

Liver Warning: This product contains acetaminophen.

The maximum daily dose of this product is 6 tablespoonfuls in 24 hours. Severe liver damage may occur if you take

- more than 8 tablespoonfuls (4,000 mg of acetaminophen) in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include: • skin reddening • blisters • rash
If a skin reaction occurs, stop use and seek medical help right away.

Do not use • with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
• if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have liver disease.

Ask a doctor before use if you are taking the blood thinning drug warfarin.

When using this product: Do not exceed recommended dose.

Stop use and ask a doctor if • pain gets worse or lasts more than 10 days • fever gets worse or lasts more than 3 days • new symptoms occur • redness or swelling is present. These could be signs of a serious condition. ▶

NDC 57896-206-08



ADULT LIQUID EXTRA STRENGTH PAIN RELIEF

ACETAMINOPHEN

500 mg / 15 mL
PAIN RELIEVER · FEVER REDUCER

SUGAR FREE · ALCOHOL FREE
ASPIRIN FREE · IBUPROFEN FREE
CHERRY FLAVOR

Compare to the active ingredient in
Extra Strength **TYLENOL**®*

8 FL OZ (237 mL)

Drug Facts (continued)

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults/children even if you do not notice any signs or symptoms.

Directions • do not take more than directed

- adults and children 12 years of age and older take 1 to 2 tablespoonfuls every 4 to 6 hours as needed; not more than 6 tablespoonfuls in 24 hours. Do not take for more than 10 days unless directed by a doctor.
- Children under 12 years: ask a doctor

Other information

- store at 20°C-25°C (68°F-77°F); excursions permitted between 15°C-30°C (59°F-86°F)
- protect from freezing • protect from light
- **TAMPER-EVIDENT:** Do not use if foil seal over bottle opening is torn, broken or missing.

Inactive ingredients: artificial and natural cherry flavor, citric acid, FD&C Red #40, methylparaben, polyethylene glycol, propylene glycol, propylparaben, purified water, sodium citrate, sucralose

Questions or comments? 1-800-540-3765

*This product is not manufactured or distributed by the owner of the registered trademark Tylenol®. Code # L-23
Dist. By: Geri-Care Pharmaceuticals Corp. Rev.:11/25

1295 Towbin Avenue
Lakewood, NJ 08701

Lot#

Exp.

Date:

