

Glue- NO COATING

0000000

GERI CARE®

Treats FREQUENT Heartburn! 24 HR

Omeprazole
Delayed-release Tablets
20 mg / Acid Reducer

SWALLOW- DO NOT CHEW

ISS. 02/2024

GERI CARE®
LIVE LIFE WELL

NDC 57896-659-42

Compare To Prilosec OTC®

Omeprazole
Delayed-release Tablets
20 mg / Acid Reducer

SWALLOW- DO NOT CHEW

Treats FREQUENT Heartburn!

24 HR



DNH/DRUGS/NH/138

Unvarnish Area:
44x33 mm

42 TABLETS
Three 14-day courses of treatment
May take 1 to 4 days for full effect

20

Drug Facts Active ingredient (in each tablet) Omeprazole USP 20 mg Purpose Acid reducer	Drug Facts (continued) Ask a doctor before use if you have: ■ had heartburn over 3 months. This may be a sign of a more serious condition. ■ frequent wheezing, particularly with heartburn ■ unexplained weight loss ■ nausea or vomiting ■ stomach pain Ask a doctor or pharmacist before use if you are taking a prescription drug. Acid reducers may interact with certain prescription drugs. Stop use and ask a doctor if: ■ your heartburn continues or worsens ■ you need to take this product for more than 14 days ■ you need to take more than 1 course of treatment every 4 months ■ you get diarrhea ■ you develop a rash or joint pain If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Directions ■ for adults 18 years of age and older ■ this product is to be used once a day (every 24 hours), every day for 14 days ■ it may take 1 to 4 days for full effect; some people get complete relief of symptoms within 24 hours 14-Day Course of Treatment ■ swallow 1 tablet with a glass of water before eating in the morning	Drug Facts (continued) ■ take every day for 14 days ■ do not take more than 1 tablet a day ■ do not use for more than 14 days unless directed by your doctor ■ swallow whole. Do not chew or crush tablets. Repeated 14-Day Courses (if needed) ■ you may repeat a 14-day course every 4 months ■ do not take for more than 14 days or more often than every 4 months unless directed by a doctor ■ children under 18 years of age: ask a doctor. Heartburn in children may sometimes be caused by a serious condition. Other information ■ read the directions and warnings before use ■ keep the carton. It contains important information. ■ store at 20 to 25° C (68 to 77° F) and protect from moisture Inactive ingredients anhydrous lactose, hypromellose, hypromellose acetate succinate, iron oxide red, iron oxide yellow, lactose monohydrate, methyl cellulose, monoethanolamine, propylene glycol, sodium lauryl sulfate, sodium starch glycolate, sodium stearate, sodium stearyl fumarate, talc, triethyl citrate and titanium dioxide. The imprinting ink contains ammonium hydroxide, black iron oxide, n-butyl alcohol, propylene glycol and shellac. Questions or Comments? Call toll free 1-800-540-3765 weekdays.
Use ■ treats frequent heartburn (occurs 2 or more days a week) ■ not intended for immediate relief of heartburn; this drug may take 1 to 4 days for full effect	Warnings Allergy alert: ■ do not use if you are allergic to omeprazole. ■ omeprazole may cause severe skin reactions. Symptoms may include: ■ skin reddening ■ blisters ■ rash If an allergic reaction occurs, stop use and seek medical help right away. Do not use if you have: ■ trouble or pain swallowing food, vomiting with blood, or bloody or black stools ■ heartburn with lightheadedness, sweating or dizziness ■ chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness ■ frequent chest pain These may be signs of a serious condition. See your doctor.	

Safety Feature - Do not use if printed seal under cap is broken or missing.

Tips for Managing Heartburn

- Do not lie flat or bend over after eating
- Do not wear tight-fitting clothing around the stomach
- Do not eat before bedtime
- Raise the head of your bed
- Avoid heartburn-causing foods such as rich, spicy, fatty or fried foods, chocolate, caffeine, alcohol and certain fruits and vegetables
- Eat slowly and avoid big meals
- If overweight, lose weight
- Quit smoking

3 BOTTLES INSIDE

Distributed by:
Geri-Care Pharmaceuticals Corp.
1295 Towbin Avenue
Lakewood, NJ 08701
Made in India
*This product is not manufactured or distributed by the owner of the registered trademark Prilosec OTC®.

Glue- NO COATING